



	misure	volume	W(150)x mc	% (aria)	W	
Cabina poppa sin	(2,0 x 0,70 x 1,0) + (0,90 x 1 x 1,9)	3,1 mc	465	9	Meno pareti esposte + vano motore	
Cabina poppa destra	idem	3,1 mc	465	9		
bagno	1,4 x 0,8 x 1,80	2,00 mc	300	5		
dinette	(1,10 x 2,20 x 1,90) + (3,00 x 2,4 x 1,9)	21,00 mc	3150	61		
Cab prua (triang *h sopra letto) + entrata	(0,9 x 1,7 x 1,8) x ((2,0 x 2,10)/2) x 1,0	4,8 mc	720	16	+ pareti esposte, + lontana	
		34	4700-6200	100		

W x mc 150-200 clima med. (p. 5 man. 2 - install & instr. )TOT 5850 – 7800.

W x mc 250-400 ext cold. (p. 5 man. 2 - install & instr. )TOT 9750 – 15.600.

## **Canalizzazione aria**

Raccordo a T 90-60-90 Alta T.	9009264C	1 pz.
Raccordo a Y 60-60-60	1312124B	1 pz.
Branch Pipe D90-D60	9009263A	1 pz.
Raccordo a Y con FLAP 90-90-90	9009641A	1 pz.
bocchetta s. aperta D.90 Nera a 90°	9012288A	1 pz.
bocchetta chiudibile D.90 Nera	9012291A	1 pz.
Fissaggio filettato D.90 per bocchette precedenti	9009240B	2 pz.
bocchette D.60 chiudibili BIANCA	A8010	1 pz.
bocchette D.60 chiudibili NERE	A8020	2 pz.
Fissaggio filettato D60 per bocchetta precedente	A8300	3 pz.
Fascette serraggio D90-100	AM5240	12 pz.
Tubo flessibile D.60	TF60	4 mt.
Tubo flessibile D.90	TF90	10 mt.

## **Scarico Fumi**

Tubo scarico Diam. 2,4	90394A	2 mt.	-
fascetta serraggio	91383A	1 pz.	
Frontale comando con interruttore x ventilazione	82422B	1 pz.	

Item	Q.tà
Hose connector straight 90mm	2
Hose connector straight 60mm	3
Tee 90 ° for heating air system 90mm	1
Reducer piece 90/60mm	1
Diversion system for heating air 45° - 90/60/90	1
Flex Hose heating air system 90mm	10
Flex Hose heating air system 60mm	4
Horse clamp 50 - 70mm	1
Threaded sleeve 90mm	4
Diffusers for heating air closing wall with 90mm implementation - black	1
Diffusers for heating air 90° wall with 90mm implementation - black	1
Distributor with control damper 90mm for Air Heater	1
Control device for control valve	1
Diversion system for heating air 45° - 60/60/60	1
Diffusers for heating air closing wall with 60mm implementation - black	2
Diffusers for heating air closing wall with 60mm implementation - white	1
Webasto Air Top 3500 - 5000 external Temperature Sensor 20 m Boot	1
Boardwall implementation 24mm for boat - curved design	1
Hose clamp for exhaust pipes 24 - 27mm	2
Stainless steel exhaust flexible tube for Webasto Air Top EVO 3900 - 5500	1